



MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: SODIUM BISULFATE, Chinese Origin, 92%
Trade Name:
Synonym(s):
Product Use:
Supplier Name: Argo International Ltd
Address: 9 St Benedict's St, Eden Terrace, Auckland
Telephone: +64 9 377 5061
Fax: +64 9 309 1992
Email: argo@argoint.co.nz
Website: Argoint.co.nz
Emergency Number(s): For advice, contact the National Poisons Centre
(New Zealand: Phone 0800 764 766) or a doctor

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Risk of serious damage to eyes.
Moisture sensitive.

Hazard Symbols: Xi.

Risk Phrases: 41.

Potential Health Effects:

Eye: May cause eye irritation and possible damage.

Skin: May cause skin irritation.

Ingestion: May cause irritation of the digestive tract.

Inhalation: May cause irritation of the respiratory tract with burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary oedema.

Chronic: Repeated exposure may cause erosion of teeth.

HSNO Classifications: 8.2C, 8.3A.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name: Sodium Bisulphate.

CAS Number: 7681-38-1.

Concentration %: 92%.

SECTION 4: FIRST AID MEASURES

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.
Get medical aid.

Skin: Get medical aid. Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Get medical aid. Wash mouth out with water.

Inhalation: Remove from exposure to fresh air immediately.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.

SECTION 5: FIRE FIGHTING MEASURES

Fire: Not considered to be a fire hazard.

Explosion: Not considered to be an explosion hazard.



MATERIAL SAFETY DATA SHEET

Fire Extinguishing Media:	Use any means available to extinguish surrounding fire.
General Information:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
Extinguishing Media:	Use water spray to cool fire-exposed containers. Use extinguishing media most appropriate for the surrounding fire. <u>DO NOT USE WATER!</u>

SECTION 6: ACCIDENTAL RELEASE MEASURES

PPE:	Wear appropriate personal protective equipment as indicated in Section 8. Ventilate area of leak or spills.
Leaks or Spills:	Vacuum or sweep up material and place into a suitable disposal container. Pick up and place in a suitable container for disposal. Do not generate dust. Cautiously spray residue with plenty of water.

SECTION 7: HANDLING AND STORAGE

Handling:	Do not breathe dust, vapour, mist, or gas. Do not get in eyes, on skin, or on clothing. Use only in a chemical fume hood.
Storage:	Store in a cool, dry place. Store in a tightly closed container. Keep under a nitrogen blanket.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls:	Use adequate ventilation to keep airborne concentrations low.
<u>Personal Protective Equipment:</u>	
Eyes:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin:	Wear appropriate protective gloves to prevent skin exposure.
Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Respirators:	Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Granules.
Appearance:	Off-white.
Odour:	Odourless.
pH:	Not available.
Vapour Pressure:	Not available.
Viscosity:	Not available.
Boiling Point:	Not available.
Freezing/Melting Point:	315° C.
Autoignition Temperature:	Not available.
Flash Point:	Not available.
Explosion Limits, lower:	Not available.
Explosion Limits, upper:	Not available.
Decomposition Temperature:	Not available.

**MATERIAL SAFETY DATA SHEET**

Solubility in water: Soluble in water.
Specific Gravity/Density: 2.1030 g/cm³.
Molecular Formula: NaHSO₄.
Molecular Weight: 120.06.

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: Incompatible materials, dust generation, exposure to moist air or water.
Incompatibilities with Other Materials: Strong oxidizing agents, strong bases, Sodium Carbonate, Calcium Hypochlorite.
Hazardous Decomposition Products: Oxides of Sulphur.
Hazardous Polymerisation: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

RTECS#: -
CAS# 7681-38-1: VZ1860000
LD50/LC50: Not available.
Carcinogenicity: Sodium Bisulfate, tech., granular - Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.
Other: See actual entry in RTECS for complete information.

SECTION 12: ECOLOGICAL INFORMATION**SECTION 13: DISPOSAL CONSIDERATIONS****SECTION 14: TRANSPORT INFORMATION****IATA**

Shipping Name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.*
Hazard Class: 8.
UN Number: 3260.
Packing Group: III.

IMO

Shipping Name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
Hazard Class: 8.
UN Number: 3260.
Packing Group: III.

RID/ADR

Shipping Name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
Hazard Class: 8.
UN Number: 3260.
Packing Group: III.

SECTION 15: REGULATORY INFORMATION



MATERIAL SAFETY DATA SHEET

European/International Regulations

European Labelling in Accordance with EC Directives

Hazard Symbols: XI.
Risk Phrases: R 41 Risk of serious damage to eyes.
Safety Phrases: S 24 Avoid contact with skin.
S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

WGK (Water Danger/Protection)

CAS# 7681-38-1: 1

United Kingdom Occupational Exposure Limits

Canada: CAS# 7681-38-1 is listed on Canada's DSL List.
CAS# 7681-38-1 is listed on Canada's Ingredient Disclosure List.

Exposure Limits:

US Federal: TSCA.
CAS# 7681-38-1 is listed on the TSCA inventory.

New Zealand: This substance is classified as a hazardous substance in accordance with the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

Approval Number: HSR 003951.

SECTION 16: OTHER INFORMATION

MSDS Creation Date: 11/08/1996.
Revision #: 1.
Date: 6/30/2000.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Disclaimer

The modifications to this Safety Data Sheet made by M J Nankivell HazTec Ltd have been restricted to adding New Zealand specific information only as required under the HSNO Act 1996 and associated regulations and no changes have been made to the technical content.

No liability or responsibility shall be taken by M.J Nankivell HazTec Ltd for the technical content, or accidents or incidents arising from the use thereof.